

Temporary Trading Halts

Due to the Triggering of the Static Circuit Breaker

As of April 13, 2026

Tokyo Commodity Exchange, Inc.

Item	Details	Remarks
<p>1. Temporary Trading Halts</p>	<ul style="list-style-type: none"> - The following commodity futures are subject to a temporary trading halt (Circuit Breaker) <ul style="list-style-type: none"> a. Energy Market: Platts Dubai Crude Oil Futures, Gasoline Futures, Kerosene Futures, Gas Oil Futures, LNG (Platts JKM) Futures b. Chukyo Oil Market: Chukyo-Gasoline Futures, Chukyo-Kerosene Futures - When bids (or offers) for the lead contract (defined by Tokyo Commodity Exchange, Inc. (TOCOM) as the most liquid contract; the same shall apply hereinafter) of a commodity future are placed at the upper (or lower) price limit on orders in the regular session, TOCOM shall promptly perform a temporary trading halt of all commodity futures with the same underlier as the lead contract that are being traded in said session for at least ten minutes. - However, TOCOM shall not perform a temporary trading halt in any of the following cases a. to d. <ul style="list-style-type: none"> a. When the above-mentioned triggering event occurs at the same end of the price limit on orders after it has been expanded at said end twice on the same trading day b. When the triggering event occurs within 20 minutes of the end of the regular session of a day or night session c. When the triggering event occurs due to an erroneous order placement d. When TOCOM deems that a temporary trading halt is not appropriate in light of trading conditions and other factors - When TOCOM temporarily halts the trading of a commodity future in accordance with the above, it shall also temporarily halt the following types of trading a. and b. for the same duration as said commodity future. <ul style="list-style-type: none"> a. Trading of said commodity future executed through Standard Combination Orders (SCO) b. Off-auction trading of said commodity future 	<ul style="list-style-type: none"> - As a general rule, Electricity futures shall not be subject to temporary trading halts. - The "lead contract " is referred to as the "central contract month" in the System Trading Detailed Rules. - As a general rule, the lead contract of each commodity future shall be as follows. <p>Energy Market Platts Dubai Crude Oil Futures, Gasoline Futures, Kerosene Futures, and Gas Oil Futures: Sixth Contract LNG (Platts JKM) Futures: Second Contract</p> <p>Chukyo Oil Market Chukyo-Gasoline Futures and Chukyo-Kerosene Futures: Nearest Contract</p> - The "regular session" is referred to as "Zaraba" in TOCOM's rules including its Market Rules. - A "trading day" is referred to as a "clearing period" in TOCOM's rules including its Market

Item	Details	Remarks																				
<p>2. Expansion of Price Limits on Orders in Connection with Temporary Trading Halts</p> <p>3. Price Limit on Orders</p>	<p>- When TOCOM temporarily halts the trading of commodity futures pursuant to 1(1) above, it shall expand the price limits on orders of commodity futures with the same underlier as the lead contract in the manner specified in the following a. and b.</p> <p>a. When the upper (or lower) price limit on orders is expanded for the first time on the trading day in question The upper (or lower) price limit on orders shall be expanded by adding (or subtracting) the first expanded price limit to (or from) the reference price.</p> <p>b. When the upper (or lower) price limit on orders has been expanded once on the trading day in question The upper (or lower) price limit on orders shall be expanded by adding (or subtracting) the second expanded price limit to (or from) the reference price.</p> <p>- Price Limit on Orders</p> <table border="1" data-bbox="448 1279 1158 2049"> <thead> <tr> <th>Market</th> <th>Product</th> <th>Standard Price Limit</th> <th>First Expanded Price Limit</th> <th>Second Expanded Price Limit</th> </tr> </thead> <tbody> <tr> <td rowspan="8">Energy</td> <td>Gasoline Futures</td> <td rowspan="4">30% of the Reference Price</td> <td rowspan="4">45% of the Reference Price</td> <td rowspan="4">60% of the Reference Price</td> </tr> <tr> <td>Kerosene Futures</td> </tr> <tr> <td>Gas Oil Futures</td> </tr> <tr> <td>Platts Dubai Crude Oil Futures</td> </tr> <tr> <td>East Area Baseload Electricity Futures</td> <td rowspan="4">JPY 8.00</td> <td rowspan="4">No Expansion of Price Limits</td> <td rowspan="4">No Expansion of Price Limits</td> </tr> <tr> <td>East Area Peakload Electricity Futures</td> </tr> <tr> <td>West Area Baseload Electricity Futures</td> </tr> <tr> <td>West Area Peakload Electricity</td> </tr> </tbody> </table>	Market	Product	Standard Price Limit	First Expanded Price Limit	Second Expanded Price Limit	Energy	Gasoline Futures	30% of the Reference Price	45% of the Reference Price	60% of the Reference Price	Kerosene Futures	Gas Oil Futures	Platts Dubai Crude Oil Futures	East Area Baseload Electricity Futures	JPY 8.00	No Expansion of Price Limits	No Expansion of Price Limits	East Area Peakload Electricity Futures	West Area Baseload Electricity Futures	West Area Peakload Electricity	<p>Rules.</p> <ul style="list-style-type: none"> - "Off-auction trading" is referred to as "off-floor trading" in TOCOM's rules including its Market Rules. - When the off-auction trading of said commodity future is temporarily halted, EFPs and EFSs involving said commodity future shall also be temporarily halted.
Market	Product	Standard Price Limit	First Expanded Price Limit	Second Expanded Price Limit																		
Energy	Gasoline Futures	30% of the Reference Price	45% of the Reference Price	60% of the Reference Price																		
	Kerosene Futures																					
	Gas Oil Futures																					
	Platts Dubai Crude Oil Futures																					
	East Area Baseload Electricity Futures	JPY 8.00	No Expansion of Price Limits	No Expansion of Price Limits																		
	East Area Peakload Electricity Futures																					
	West Area Baseload Electricity Futures																					
	West Area Peakload Electricity																					

Item	Details				Remarks	
4. Resumption of		Futures				
		Chubu Area Baseload Electricity Futures				
		Chubu Area Peakload Electricity Futures				
		East Area Weekly Baseload Electricity Futures				
		East Area Weekly Peakload Electricity Futures				
		West Area Weekly Baseload Electricity Futures				
		West Area Weekly Peakload Electricity Futures				
		East Area Fiscal Year Baseload Electricity Futures				
		East Area Fiscal Year Peakload Electricity Futures				
		West Area Fiscal Year Baseload Electricity Futures				
		West Area Fiscal Year Peakload Electricity Futures				
		Chubu Area Fiscal Year Baseload Electricity Futures				
		Chubu Area Fiscal Year Peakload Electricity Futures				
		LNG (Platts JKM) Futures	40% of the Reference Price	50% of the Reference Price	60% of the Reference Price	
		Chukyo Oil Chukyo-Gasoline Futures	30% of the Reference Price	45% of the Reference Price	60% of the Reference Price	
		Chukyo-Kerosene Futures				
	4. Resumption of	- When trading is halted due to 1 above, the traded price when				

Item	Details	Remarks
Trading	trading resumes shall be determined by the Ita-Awase method.	